

Serge Brand

CURRICULUM VITAE Serge Brand, PhD.

(Nationality: Swiss; Languages: German, Italian, French, English)

Current Position and Main Activities

Research psychologist, Psychiatric Hospital of the University of Basel, Center for Affective-, Stress- and Sleep Disorders

Psychologist and psychotherapist, Psychiatric Hospital of the University of Basel, Center for Affective-, Stress- and Sleep Disorders

Adjunct Professor, Faculty of Psychology, Division of Personality and Developmental Psychology, U of Basel

Adjunct Professor, Faculty of Medicine, Department of Sport, Exercise and Health, Section of Sport Science, U of Basel

Head joint venture between the Psychiatric Hospital of the University of Basel and the Faculties of Psychology and Psychiatry Tehran, Hamadan, Kermanshah, and Isfahan (Islamic Republic of Iran)

Visiting professor, Kermanshah University of Medical Sciences, Kermanshah, Iran

Previous Positions

High school teacher, Italian, history, and sports; interpreter at different civil and criminal courts

Education

Habilitation in psychology; Faculty of Psychology, U of Basel, Switzerland (2012)
(Sleep and psychological functioning; Venia Docendi in Psychology)

Doctorate in psychology; Faculty of Psychology, U of Basel, Switzerland (2006)
(Mood and problem solving in dyads)

Licentiate in psychology (equivalent to MA); Faculty of Psychology, U of Basel, Switzerland (1998)
Diploma as High School teacher, U of Basel (1989)

Licentiate in arts (equivalent to MA); Faculty of Arts, U of Basel, Switzerland (1988)

Research Interests

Sleep and development from early childhood to early adulthood

Physical activity, psychological functioning and sleep in patients with MS, in pediatric patients with IBD, in adult patients with brain tumors

Bipolar disorders in adolescents and young adults

Grants

Ongoing and accomplished grants

Year	main applicant = MA; Co-Applicant = Co-A	CHF
2019	Co-A: Observational Comparative Study for Prediction of Functional Outcome, Quality of Life and Health Economics in Patients suffering from a Zygomatic Complex Fracture: Kantonsspital Aarau	20'000
2018	MA: Karger Research Award: fMRI in patients with MS (together with Dena Sadeghi Bahmani: Co-A)	12'000.00
2018	Co-A: Lifestyle physical activity counselling in in-patients with major depressive disorder (PACINPAT): Randomized controlled trial on physical activity, cardiorespiratory fitness, depression, and cardiovascular health risk markers“ SNF	691'458.00
2017	Co-A: Einfluss der Arbeitsbezogenen Interpersonellen Psychotherapie vs. Job-Coaching; Thomi Hopf-Stiftung	490'000.00
2017	MA: Intervention study in Kermanshah (Iran); physical activity in patients with MS (USD: 10'000.00)	10'000.00
2016	MA: Physical activity in patients with Multiple Sclerosis. UPK-Fonds	10'000.00
2015	Co-A: Neuroplasticity and mental health of preterm children: the role of stress regulation, sleep, and physical activity during the transition to adolescence: Lemola, Brand, Holsboer-Trachsler, Perkinson-Gloor, Weber, Grob: SNF	250'000.00
2015	MA: Influence of aerobic exercise training (AET) on disease symptoms, cardiovascular fitness, sleep, and depression in children and adolescents suffering from Inflammatory Bowel Disease (IBD) UPK-Fonds	15'000.00
2015	MA: Influence of aerobic exercise training (AET) on disease symptoms, cardiovascular fitness, sleep, and depression in children and adolescents	15'000.00

	suffering from Inflammatory Bowel Disease (IBD) FAG	
2014	MA: Influence of aerobic exercise training (AET) on disease symptoms, cardiovascular fitness, sleep, and depression in children and adolescents suffering from Inflammatory Bowel Disease (IBD) UPK-Fonds	10'000.00
2012	MA: "Individual Exercise Programs to Improve Emotional Well-being, Sleep and Cognition for Patients Suffering Aneurysmal Subarachnoid Hemorrhage: A Follow-up Trial"; Pühse, Gerber, Brand, Graf, Zimmerer, Holsboer-Trachsler; Freiwillige Akademische Gesellschaft Basel	50'000.00
2012	Co-A: Hair cortisol analyses in women suffering from post-partum depressions; Mikoteit, Brand, Holsboer-Trachsler	9500.00
2011	MA: Praxiserfahrungsbericht: Anwendung von Trazodon: Brand & Holsboer-Trachsler	9000.00
2011	MA: Hypomania in adolescence; Vifor Pharma SA Suisse; unrestricted grant; Brand & Holsboer-Trachsler	5'000.00
2011	Co-A; „Schlafhygiene, Schlafqualität und psychische Gesundheit im Jugendalter: Eine schulbasierte Interventionsstudie“; Lemola, Brand, Holsboer-Trachsler, Grob	48'000.00
2010	MA; Schlaf, Befindlichkeit und Stressachsenaktivität bei Patienten nach Aneurysmata-Operationen; Freiwillige Akademische Gesellschaft Basel; Brand, Kalak, Zimmerer, Holsboer-Trachsler;	15'000.00
2010	Co-A; Körperliche Aktivität als Stresspuffer; Schweizerische Eidgenossenschaft: Eidgenössische Sportkommission, Bundesamt für Sport; Gerber, Brand, Holsboer-Trachsler, Pühse	156'000.00
2008	MA; Restless legs syndrome; Lundbeck AG Switzerland; unrestricted grant; Brand & Holsboer-Trachsler	6'000.00
2008	MA: Romantic love in early adulthood; Organon AG, Schweiz; unrestricted grant; Brand & Holsboer-Trachsler	12'000.00
2008	MA; Schlaf, Befindlichkeit, und Stressachsenaktivität bei Neugeborenen vor und nach einer Lippen-Kiefer-Gaumen-Segel-Spalten-Operation; Gottfried-und-Julia-Bangerter-Ryhner-Stiftung	30'000.00
2007	MA; Körperliche Aktivität bei Halbprofi-Fussballspielern; Helvepharm AG, Schweiz; unrestricted grant; Brand & Holsboer-Trachsler	6'000.00
2007	MA: Körperliche Aktivität, Schlaf und Befindlichkeit im frühen Erwachsenenalter; Freiwillige Akademische Gesellschaft Basel; Brand, Gerber, Pühse, Holsboer-Trachsler	10'000.00
2007	Co-A; Schlaf, Befindlichkeit und Stressachsenaktivität bei psychiatrisch auffälligen Vorschulkindern; Jacobson-Stiftung; Hatzinger, Brand, von Klitzing, Holsboer-Trachsler	10'000.00

Professional Organisation Memberships

AGNP	Arbeitsgemeinschaft für Neuropsychopharmakologie und Pharmakopsychiatrie
ESSR	European Society of Sleep Research
FAG/BSS	Freiwillige Akademische Gesellschaft/Basel Science Society
FSP	Föderation der Schweizer Psychologen
SSBP	Schweizerische Gesellschaft für Biologische Psychiatrie

Member of Editorial Boards

Journal of Adolescence (Editorial Board; 2014-)
Frontiers in Psychiatry (Editorial Board; 2016-)
Frontiers in Psychiatry; Clinical and Health Psychology; Associate Editor (2018-)
PLOS ONE: Associate Editor (2018-)
Iranian Journal of Psychiatry; Editorial Board (2018-)
Behavioral Sleep Medicine; Editorial Board (2019-)

Further vocational trainings

GCP – Good Clinical Practice; basic course, Sept 2016
GCP – Good Clinical Practice; advanced course, Sept 2018
Online -course Coursera "Evolution Today" by Universiteit Leiden & Naturalis Biodiversity Center on Coursera.
Certificate earned at Wednesday, January 23, 2019 7:35 PM GMT".

Awards

- 2018 Publons Review Ranking: 4nd place worldwide in the field of psychology/psychiatry
- 2017 Publons Review Ranking: 2nd place in Switzerland; 1st place at the University of Basel, 2nd place in the field of health professions
- 2012 1. Poster price: Main congress of the Swiss Society for Biological Psychiatry and the Swiss Society for psychiatry and psychotherapy; Assessment of cognitive impairments in patients with MDD and treated with ECT with and without sodium valproate.
- 2009 One of five poster prices: World Congress of the Societies of Biological Psychiatry, Paris; Long-term outcome of patients suffering from Restless Legs Syndrome; a three years follow-up study (with J. Beck)
- 2008 1. Poster price; Main congress of the Swiss Society for Biological Psychiatry and the Swiss Society for psychiatry and psychotherapy: Polysomnographic profiles of patients suffering from Restless legs syndrome, compared to patients suffering from depressive disorders.
- 2008 Helene-Matas-Preis; Preis der Österreichischen Gesellschaft für Lippen-Kiefer-Gaumen-Segelspalten und fasziale Anomalien (zusammen mit Dr. Dr. A. Müller): Euro 5'000.00

Basel, June 2019



PUBLICATION LIST
Serge Brand, Ph.D.

Links to publication list

https://www.researchgate.net/profile/Serge_Brand

https://scholar.google.ch/citations?hl=de&user=KYIJRRQAAAAJ&view_op=list_works&sortby=pub_date

Peer-Reviewed Articles (up-date June 15, 2019)

Publication	Category	Points	Impact factor
In press			
Alirezaei P, Ahmadpanah M, Rezanejad A, Soltanian A, Sadeghi Bahmani D, Brand S. Compared to controls, individuals with Lichen planopilaris (LPP) had higher depression, lower self-esteem and lower quality of life. <i>Neuropsychobiology</i> , 2019.	A	5	1.421
Bazzazi N, Ahmadpanah M, Moradi N, Haghghi M, Moradi A, Ghiasian M, Brand S. Visual impairment was related to educational level but not to cognitive performance among adults in their 60s. <i>Psychological Reports</i> , 2018.	B	3	0.667
Brand S, Gerber M, Colledge F, Holsboer-Trachsler E, Pühse U, Ludyga S. Acute exercise and emotion recognition in young adolescents. 2019. <i>Journal of Sport and Exercise Psychology</i> .	A	10	2.410
Das-Friebel A, Perkinson-Gloor N, Brand S, Dewald-Kaufmann JF, Grob A, Wolke D, Lemola A. A pilot cluster-randomised study to increase sleep duration by decreasing electronic media use at night and caffeine consumption in adolescents. <i>Sleep Medicine</i> , 2018	A	5	3.3
Gerber M, Beck J, Brand S, Cody R, Donath L, Eckert A, Faude O, Fischer X, Hatzinger M, Holsboer-Trachsler E, Imboden Chr, Lang U, Mans S, Mikoteit T, Oswald A, Pühse U, Rey S, Schreiner AK, Schweinfurth N, Spitzer U, Zahner L. The impact of lifestyle Physical Activity Counselling in IN-PATients with major depressive disorders on physical activity, cardiorespiratory fitness, depression, and cardiovascular health risk markers: study protocol for a randomized controlled trial. <i>Trials</i> , 2019.	A	A	2.07
Gerber M, Brand R, Antoniewicz F, Isoard-Gauthier S, Gustafsson H, Bianchi R, Colledge F, Madigan DJ, Brand S, Ludyga S. Implicit and explicit attitudes towards sport among young elite athletes with high versus low burnout symptoms. <i>Journal of Sport Sciences</i> , 2019.	A	2	2.733
Gerber, M., Gustafsson, H., Harald, S., Kellmann, M., Ludyga, S., Colledge, F., Brand, S., Isoard-Gauthier, S., & Bianchi, R. (in press). Usefulness of the Athlete Burnout Questionnaire (ABQ) as a screening tool for the detection of clinically relevant burnout symptoms among young elite athletes. <i>Psychology of Sport and Exercise</i> .	A	3	2.88
Gerber M, Isoard-Gauthier S, Schilling R, Ludyga S, Brand S, Colledge F. When low leisure-time physical activity meets unsatisfied psychological needs: Insights from a stress-buffer perspective. <i>Frontiers in Psychology</i> , section Psychopathology.	A	2	2.50

Gerber, M., Schilling, R., Colledge, F., Ludyga, S., Pühse, U., & Brand, S. (in press). More than a simple pastime? The potential of physical activity to moderate the relationship between occupational stress and burnout symptoms. International Journal of Stress Management.	B	7	1.95
Khazaie H, Zokie A, Rezaie M, Komasi S, Brand S. Sleep pattern, common bedtime problems, and related factors among first-grade students: Epidemiology and predictors. Clinical Epidemiology and Global Health. 2018.	C	2	--
Lang, C., Brand, S., Colledge, F., Ludyga, S., Pühse, U., & Gerber, M. (in press). Adolescents' personal beliefs about sufficient physical activity are more closely related to sleep and psychological functioning than self-reported physical activity: A prospective study. Journal of Sport and Health Science. 2018.	A	5	2.53
Ludyga, S., Gerber, M., Mücke, M., Brand, S., Weber, P., Brotzmann, M., Pühse, U. (2018 / in press). The acute effects of aerobic exercise on cognitive flexibility and task-related heart rate variability in children with ADHD and healthy controls. Journal of Attention Disorders.	A	4	3.378
Nakkas C, Annen H, Band S. Somatization and Coping in Ethnic Minority Recruits. Military Medicine, 2019.	C	2	0.70
Norouzi E, Hosseini F, Vaezmosavi M, Gerber M, Pühse U, Brand S. Effects of Quiet Mind Training on Alpha Power suppression and fine motor skill acquisition. Journal of Motor Behavior, 2018.	B	6	1.51
Norouzi E, Norouzi R, Gerber M, Pühse U, Brand S. Dual task training on cognition and skill training improved both balance and working memory in older people, compared to motor training only. The Physician and Sport Medicine. 2019.	B	5	1.57
Shamohammadi M, Salmanian M, Mohammadi MR, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Prevalence rates of self-reported trauma in a sample of Iranian children are low and unrelated to parents' education or current employment status. Brazilian Journal of Psychiatry, 2018.	B	6	2.09
2019			
Ahmadpanah M, Asadi Y, Haghghi M, Ghasemibasir H, Khanlarzadeh E, Brand S. Among patients with minor beta-thalassemia and controls, cognitive performance is related to length of education, but not to minor beta-thalassemia or haemoglobin levels. Iranian Journal of Psychiatry. 2019;14:47-53.	C	4	0
Barzegar M, Sadeghi Bahmani D, Nehzat N, Kiani M, Hashemi N, Mirmosayyeb O, Brand S, Shaygannejad V. Comparison of sleep complaints and quality of life between patients with Neuromyelitis Optica Spectrum Disorder (NMOSD) and healthy controls. Multiple Sclerosis and Related Disorders, 2019;32:81-87.	A	8	3.199
Brand S, Lemola S, Mikoteit T, Holsboer-Trachsler E, Kalak N, Sadeghi Bahmani D, Pühse U, Ludyga S, Gerber M. Schlaf und Befindlichkeit bei Kindern und Jugendlichen - ein narratives Review [Sleep and Psychological Functioning of Children and Adolescents - a Narrative Review]. Praxis der Kinderpsychologie und Kinderpsychiatrie. 2019;68:128-145.	C	3	

Brand S, Schilling R, Ludyga S, Colledge F, Sadeghi Bahmani D, Holsboer-Trachsler E, Pühse U, Geber M. Further evidence of zero-association between symptoms of insomnia and facial emotion recognition - results from a sample of adults in their late 30s. <i>Frontiers in Psychiatry</i> , section <i>Psychopathology</i> . 2019;9:754.	A	10	2.85
Davarinejad O, Hendesi K, Shahi H, Brand S, Khazaie H. A pilot study on daily intensive ECT over eight days improved positive and negative symptoms and general psychopathology of patients with treatment-resistant schizophrenia up to 4 weeks after treatment. <i>Neuropsychobiology</i> . 2019;77:83-91.	B	4	1.421
Farnia V, Alikhani M, Ebrahimi A, Golshani S, Sadeghi Bahmani D, Brand S. Ginseng treatment improves the sexual side effect of methadone maintenance treatment. <i>Psychiatry Research</i> , 2019;276:142-150	A	7	2.223
Kalak N, Gerber M, Sadeghi Bahmani D, Kirov R, Pühse U, Holsboer-Trachsler E, Brand S. It's high time you go to bed" – Adolescents with earlier set bedtimes report longer sleep duration, but do not report less sleep complaints or more favourable psychological functioning. <i>Somnology</i> , 2019;23:116-124.	C	1	0.342
Khazaie H, Behrouz B, Chehri A, Gerber M, Holsboer-Trachsler E, Sadeghi Bahmani D, Brand S. Among adolescents, addiction susceptibility and sleep-related dysfunction have a common cognitive-emotional base and predict poor sleep quantity. <i>Journal of Substance Use</i> , 2019;24:426-431	C	2	0.719
Lang C, Brand S, Colledge F, Pühse U, Holsboer-Trachsler E, Gerber M. (2019). Teaching stress management in physical education: A quasi-experimental study with vocational students. <i>Scandinavian Journal of Educational Research</i> . 63 (2), 245-257.	C	1	0.410
Mikoteit T, Brand S, Eckert A, Holsboer-Trachsler E, Beck J. Brain-derived neurotrophic factor is a biomarker for subjective insomnia but not objectively assessable poor sleep continuity. <i>J Psychiatr Res</i> 2019;110:103-109.	A	8	4.0
Möhring W, Urfer-Maurer N, Brand S, Holsboer-Trachsler E, Weber P, Grob A, Lemola S. The association between sleep and dual-task performance in preterm and full-term children: An exploratory study. <i>Sleep Medicine</i> , 2019;55:100-108.	A	4	3.3
Sadeghi Bahmani D, Kesselring J, Papadimitriou M, Bansi J, Pühse U, Gerber M, Shaygannejad V, Holsboer-Trachsler E, Brand S. In patients with multiple sclerosis, both objective and subjective sleep, depression, fatigue, and paresthesia improved after 3 weeks of regular exercise. <i>Frontiers in Psychiatry</i> , 2019;10:265.	A	10	2.857
2018			
Abdoli N, Sadeghi Bahmani D, Farnia V, Alikhani M, Golshani S, Holsboer-Trachsler E, Brand S. Among substance abusing traffic offenders poor sleep and poor general health predict lower driving skills, but not slower reaction times. <i>Psychology Research and Behavior Management</i> , 2018;11:557-566.	B	5	1.95
Ahmadpanah M, Nazaribadie M, Aghaei E, Ghaleiha A, Bakhtiari A,	A	9	3.397

Haghghi M, Sadeghi Bahmani D, Akhondi A, Bajoghli H, Jahangard L, Holsboer-Trachsler E, Brand S. Influence of adjuvant detached mindfulness and stress management training compared to pharmacologic treatment in primiparae with postpartum depression. Archives of Women's Mental Health, 2018;21:65-73.			
Brand S, Colledge F, Ludyga S, Emmenegger R, Sadeghi Bahmani D, Kalak N, Holsboer-Trachsler E, Pühse U, Gerber M. Acute bouts of exercising improved mood, rumination and social interaction in inpatients with mental disorders. Frontiers in Psychology, Section Psychopathology. 2018;9:249	A	10	2.4
Brand S, Mikoteit T, Kalak N, Sadeghi Bahmani D, Lemola S, Gerber M, Ludyga S, Bossard M, Pühse U, Holsboer-Trachsler E, Hatzinger M. Cortisol impacted on explicit learning encoding, but not on storage and retrieval, and was not associated with sleep patterns– results from the Trier Social Stress Test for Children (TSST-C) among 9-years old children. Frontiers in Psychology, 2018;9:2240.	A	9	2.09
Colledge F, Brand, Pühse U, Holsboer-Trachsler E, Gerber M. In inpatient substance use disorder treatment in Switzerland, exercise programmes are regularly implemented but not evaluated – a missed opportunity for improving treatment. Mental Health and Physical Activity. 2018;15:7-10.	A	8	2.21
Ehrbar J, Brand S, Colledge F, Donath L, Egger ST, Hatzinger M, Holsboer-Trachsler E, Imboden C, Schweinfurth N, Vetter S, Gerber M (2018) Psychiatric In-Patients Are More Likely to Meet Recommended Levels of Health-Enhancing Physical Activity If They Engage in Exercise and Sport Therapy Programs. Front. Psychiatry 9:322. doi: 10.3389/fpsyg.2018.00322	A	9	3.532
Farnia V, Gharehbaghi H, Alikhani M, Almasi A, Golshani S, Tatari F, Davarinejad O, Salemi S, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Efficacy and tolerability of adjunctive gabapentin and memantine on obsessive compulsive disorder: double-blind, randomized, placebo-controlled trial. Journal of Psychiatric Research, 2018;104:137-143.	A	10	4.0
Fathirezaie Z, Zamani Sani SH, Ebrahimi S, Brand S, Jahanbakhsh I, Nazari S. Discriminating mental skills among adolescent elite and competitive soccer and volleyball players. Annals of Applied Sport Science. 2018;6:23-29.	C	1	0.60
Gerber M, Best S, Meerstetter F, Walter M, Ludyga S, Brand S, Bianchi R, Madigan DJ, Isoard-Gauthier S, Gustafsson H. Effects of stress and mental toughness on burnout and depressive symptoms: A prospective study with young elite athletes. Journal of Science and Medicine in Sport. 2018;21:1200-1205.	A	2	3.86
Gerber, M., Best, S., Meerstetter, F., Isoard-Gauthier, S., Gustafsson, H., Bianchi, R., Madigan, D.J., Colledge, F., Ludyga, S., Holsboer-Trachsler, E., & Brand, S. Cross-sectional and longitudinal associations between athlete burnout, insomnia and polysomnographic indices in young elite athletes. Journal of Sport and Exercise Psychology. 2018;40:312-324.	A	10	2.41
Gerber, M., Colledge, F., Mücke, M., Schilling, R., Brand, S., & Ludyga, S. Psychometric properties of the Shirom-Melamed Burnout Measure (SMBM) among adolescents: Results from three cross-sectional studies.	A	2	2.42

BMC Psychiatry. 2018;18(1):266. doi: 10.1186/s12888-018-1841-5.			
Gerber M, Isoard-Gauthier S, Schilling R, Ludyga S, Brand S, Colledge F. When Low Leisure-Time Physical Activity Meets Unsatisfied Psychological Needs: Insights From a Stress-Buffer Perspective- Frontiers of Psychology, 2018; 9; 2097. https://doi.org/10.3389/fpsyg.2018.02097 .	A	2	2.08
Jahangard L, Sadeghi A, Ahmadpanah M, Holsboer-Trachsler E, Sadeghi Bahmani D, Haghghi M, Brand S. Influence of adjuvant omega-3-polyunsaturated fatty acids on depression, sleep, and emotion regulation among outpatients with major depressive disorders - results from a double-blind, randomized and placebo-controlled clinical trial. Journal of Psychiatric Research, 2018;107:48-56.	A	10	4.0
Jahangard L, Solgy R, Salehi I, Taheri SK, Holsboer-Trachsler E, Haghghi M, Brand S. Cholecystokinin (CCK) level is higher among first time suicide attempters than healthy controls, but is not associated with higher depression scores. Psychiatry Research, 2018;266:40-46.	A	8	2.56
Jahangard L, Fadaei V, Sajadi A, Haghghi M, Ahmadpanah M, Matinnia N, Bajoghli H, Sadeghi Bahmani D, Lang UE, Holsboer-Trachsler E, Brand S. Patients with OCD report lower Quality of Life after controlling for expert-rated symptoms of depression and anxiety. Psychiatry Research, 2018; 260:318-323.	A	8	2.528
Jasbi M, Sadeghi Bahmani D, Karami G, Omidbeygi M, Peyravi M, Panahi A, Mirzaee J, Holsboer-Trachsler E, Brand S. Influence of adjuvant Mindfulness-Based Cognitive Therapy (MBCT) on symptoms of Post-Traumatic Stress Disorder (PTSD) in veterans – results from a randomized control study. Cognitive Behavior Therapy, 2018;47:431-446.	A	8	2.80
Khazaie H, Negahban S, Ghadami MR, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand, S. Among middle-aged adults, snoring predicted hypertension independently of sleep apnoea. Int J Med Res. 2018;46:1187-1196.	C	3	1.34
Keshavarzi F, Mahmoudzadeh F, Brand S, Sadeghi Bahmani D, Akbari F, Khazaie H, Ghadami MR. Both melatonin and meloxicam improved sleep and pain in females with primary dysmenorrhea - results from a double-blind cross-over intervention pilot study. Archives of Women's Mental Health. 2018;21:601-609.	A	4	3.39
Ludyga, S., Gerber, M., Herrmann, C., Brand, S., Pühse, U. Chronic effects of exercise implemented during school-break time on neurophysiological indices of inhibitory control in adolescents, Trends in Neuroscience and Education. 2018;10:1-7.	C	-	-
Ludyga S, Gerber M, Brand S, Pühse U, Colledge F. (2018). Effects of Aerobic Exercise on Cognitive Performance Among Young Adults in a Higher Education Setting, Research Quarterly for Exercise and Sport, 2018;89:164-17. DOI: 10.1080/02701367.2018.1438575	B	2	1.84
Mikoteit T, Brand S, Perren S, von Wyl A, von Klitzing K, Holsboer-Trachsler E, Hatzinger M. Visually detected non-rapid eye movement stage 2 sleep spindle density at age five years predicted prosocial behavior positively and hyperactivity scores negatively at age nine years. Sleep Medicine, 2018;48:101-108.	A	9	3.39

Matinnia N, Haghghi M, Jahangard L, Ibrahim FB, Rahman HA, Ghaleiha A, Holsboer-Trachsler E, Brand S. Further evidence of psychological factors underlying choice of elective cesarean delivery (ECD) by primigravidae. <i>Revista Brasileira de Psiquiatria</i> , 2018, 40:83–88.	A	7	2.18
Sadeghi Bahmani D, Esmaeili L, Shaygannejad V, Gerber M, Kesselring J, Lang UE, Holsboer-Trachsler E, Brand S. Stability of mental toughness, sleep disturbances, and physical activity in patients with multiple sclerosis (MS) – a longitudinal and pilot study. <i>Frontiers in Psychiatry</i> , section Psychopathology doi: 10.3389/fpsyg.2018.00182.	A	10	3.532
Sadeghi Bahmani D, Faraji P, Faraji R, Lang UE, Holsboer-Trachsler E, Brand S. Is emotional functioning related to academic achievement among university students? - Results from a cross-sectional Iranian sample. <i>Brazilian Journal of Psychiatry</i> . 2018;40:290-295.	B	5	2.05
Salmanian M, Mohammadi, MR, Keshavarzi Z, Brand S. An Update on the Global Prevalence of Conduct Disorder (2011-2017): Study Protocol for a Systematic Review and Meta-analysis. <i>Journal of Forensic and Legal Medicine</i> . 2018;59:1-3.	C	2	1.01
Schilling R, Schärli E, Fischer X, Donath L, Faude O, Brand S, Pühse U, Zahner L, Rosenbaum S, Ward PB, Carraro A, Gerber M. (in press). The utility of two interview-based physical activity questionnaires in healthy young adults: Comparison with accelerometer data. <i>PloS One</i> , 13(9):e0203525. doi: 10.1371/journal.pone.0203525. eCollection 2018	A	2	2.77
Stubbs, B., Vancampfort, D., Hallgren, M., Firth, J., Veronese, N., Solmi, M., Brand, S., Cordes, J., Malchow, B., Gerber, M., Schmitt, A., Correll, C.U., De Hert, M., Gaughran, F., Schneider, F., Kinnafick, F., Falkai, P., Möller, H.-J., Kahl, K.G., 2018. EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> 54, 124-144.	A	3	4.11
Urfer-Maurer N, Brand S, Holsboer-Trachsler E, Grob A, Weber P, Lemola S. Correspondence of maternal and paternal perception of school-aged children's sleep with in-home sleep-electroencephalography and diary-reports of children's sleep. <i>Sleep Medicine</i> , 2018;48:180-186.	A	7	3.395
Urfer-Maurer, N., Ludyga, S., Stalder, T., Brand, S., Holsboer-Trachsler, E., Gerber, M., Grob, A., Weber, P., & Lemola, S. (2018). Heart rate variability and salivary cortisol in very preterm children during school age. <i>Psychoneuroendocrinology</i> , 87, 27-34. http://dx.doi.org/10.1016/j.psyneuen.2017.10.004	A	4	4.788
2017			
Ahmadpanah M, Astinsadaf S, Akhondi A, Haghghi M, Sadeghi Bahmani D, Badei NM, Jahangard L, Holsboer-Trachsler E, Brand S. Early maladaptive schemas of emotional deprivation, social isolation, shame and abandonment are related to a history of suicide attempts among patients with major depressive disorders. <i>Comprehensive Psychiatry</i> . 2017;77:71-79.	A	8	2.1
Ahmadpanah M, Akbari T, Akhondi A, Haghghi M, Jahangard L, Sadeghi	A	8	2.528

Bahmani D, Bajoghli H, Holsboer-Trachsler E, Brand S. Detached mindfulness reduced both depression and anxiety in elderly women with major depressive disorders. Psychiatry Research, 2017; 257:87-94.			
Ahmadpanah M, Reihani A, Ghaleiha A, Soltanian A, Haghghi M, Jahangard L, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Buprenorphine augmentation improved symptoms of OCD, compared to placebo - Results from a randomized, double-blind and placebo-controlled clinical trial. J Psychiatric Research, 2017; 94:23-28.	A	10	4.45
Bajoghli H, Farnia V, Joshaghani N, Haghghi M, Jahangard L, Ahmadpanah M, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. "I love you forever (more or less)" – Stability and change in adolescents' romantic love status and associations with mood states. Brazilian Journal of Psychiatry, 2017;39:323-329.	B	5	2.18
Brand S, Kalak N, Gerber M, Clough PJ, Lemola S, Sadeghi Bahmani D, Pühse U, Holsboer-Trachsler E. During early to mid adolescence, moderate to vigorous physical activity is associated with restoring sleep, psychological functioning, mental toughness and male gender. Journal of Sports Sciences, 2017;35:426-434.	B	7	2.246
Brand S, Nejad M, Haghghi M, Rahimi A, Jahangard L, Sadeghi Bahmani D, Bajoghli H, Holsboer-Trachsler E, Ahmadpanah M. Psychiatric Disorders and Personality Profiles of Middle-Aged Suicide Attempters with no Evidence of Specific Psychopathological Profiles Referred to an Emergency Department. Iranian Journal of Psychiatry. 2017;12:248-254.	C	3	-
Chehri A, Khazaie H, Eskandari, S, Khazaie, S, Holsboer-Trachsler E, Brand S, Gerber M. Validation of the Farsi version of the revised Adolescent Sleep Hygiene Scale (ASHSr): A cross-sectional study. BMC Psychiatry, 2017;17:408	A	4	2.65
Colledge, F., Brand, S., Zimmerer, S., Pühse, U., Holsboer-Trachsler, E., & Gerber, M. 2017. In individuals following aneurysmal subarachnoid hemorrhage, hair cortisol concentrations are higher and more strongly associated with psychological functioning and sleep complaints than in healthy controls. Neuropsychobiology. 2017;75:12-20.	B	5	1.71
Colledge F, Brand S, Pühse U, Holsboer-Trachsler E, Zimmerer S, Schleith R, Gerber M. In patients following aneurysmal subarachnoid haemorrhage a twelve-week moderate exercise programme improved symptoms of depression, insomnia and verbal learning: A comparison with meningioma patients and healthy controls. Neuropsychobiology. 2017;76:59-71.	B	3	1.45
Farnia V, Tatari F, Alikhani M, Yazdchi K, Taghizadeh M, Sadeghi Bahmani D, Karbasizadeh H, Holsboer-Trachsler E, Brand S. Rosa Damascena Oil improved methadone-related sexual dysfunction in females with opioid use disorder under methadone maintenance therapy - results from a double-blind, randomize, and placebo-controlled trial. J Psych Res, 2017;95:260-268.	A	10	4.183
Farnia V, Tatari F, Alikhani M, Shakeri J, Taghizadeh M, Karbasizadeh H, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Rosa Damascena Oil improved sexual function and testosterone in male patients with opium use disorder under methadone maintenance therapy– results from a double-blind, randomized, placebo-controlled clinical trial. Drug and Alcohol	A	9	3.43

Dependence. 2017;176:117-125.			
Gerber M, Endes K, Herrmann Chr, Colledge F, Brand S, Donath L, Faude O, Pühse U, Hansen H, Zahner L. Fitness, Stress, and Body Composition in Primary Schoolchildren. Medicine and Science in Sport and Exercise. 2017;49:581-587.	A	3	3.98
Gerber M, Endes K, Herrmann Chr, Colledge F, Brand S, Donath L, Faude O, Pühse U, Hansen H, Zahner L. Fitness, Stress, and Body Composition in Primary Schoolchildren. Medicine and Science in Sport and Exercise, 2017;76:1-10.	A	2	3.98
Gerber M, Endes K, Brand S, Herrmann C, Colledge F, Donath L, Faude O, Pühse U, Hanssen H, Zahner L. In 6- to 8-year-old children, hair cortisol is associated with body mass index and somatic complaints, but not with stress, health-related quality of life, blood pressure, retinal vessel diameters, and cardiorespiratory fitness. Psychoneuroendocrinology. 2017;76:1-10.	A	4	4.75
Gerber M, Ludyga S, Mücke M, Colledge F, Brand S, Pühse U. Low vigorous physical activity is associated with increased adrenocortical reactivity to psychosocial stress in students with high stress perceptions. Psychoneuroendocrinology, 2017;80:104–113.	A	4	4.75
Haghghi M, Ludyga S, Rahimi B, Jahangard L, Ahmadpanah M, Torabian S, Esnaashari F, Nazaribadie M, Bajoghli H, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. In patients suffering from major depressive disorders, quantitative EEG showed favorable changes in left and right prefrontal cortex. Psychiatry Res. 2017;251:137-141.	A	8	2.48
Jahangard L, Rahami A, Haghghi M, Ahmadpanah M, Sadeghi Bahmani D, Soltanian A, Shirzadi S, Bajoghli H, Gerber M, Holsboer-Trachsler E. Brand S. “Always look on the bright side of life!” – Higher hypomania scores are associated with higher mental toughness, increased physical activity, and lower symptoms of depression and lower sleep complaints. Frontiers in Psychology, 2017;8:2130	A	8	2.323
Kirov R, Brand S, Banaschewski T, Rothenberger A. Opposite impact of REM sleep on neurobehavioral functioning in children with common psychiatric disorders compared to typically developing children. Frontiers in Psychology, 2017;7:2059.	A	8	2.46
Lang C, Brand S, Holsboer-Trachsler E, Pühse U, Colledge F, Gerber M. Validation of the German version of the short form of the Dysfunctional Beliefs and Attitudes about Sleep Scale (DBAS-16). Neurological Sciences. 2017;38:1047-1058.	B	3	1.79
Lang C, Feldmeth AK, Brand S, Holsboer-Trachsler E, Pühse U, Gerber M. Effects of a pyhsical education-based coping training on adolescents' coping skils, stress perceptions and quality of sleep. Physical Education and Sport Pedagogy. 2017;22:213-230.	B	2	1.39
Lemola S, Oser N, Urfer-Maurer N, Brand S, Holsboer-Trachsler E, Bechtel N, Grob A, Weber P, Datta AN. Effects of gestational age on brain volume and cognitive functions in generally healthy very preterm born children during school-age: A voxel-based morphometry study. PLoSOne 12(8): e0183519.	A	4	3.40

Ludyga, S., Brand, S., Gerber, M., Weber, P., Brotzmann, M., Habibifar, F., Pühse, U. An event-related potential investigation of the acute effects of aerobic and coordinative exercise on inhibitory control in children with ADHD. <i>Developmental Cognitive Neuroscience</i> . 2017;28:21-28.	A	9	4.321
Mählmann L, Gerber M, Furlano RI, Legeret C, Kalak N, Holsboer-Trachsler E, Brand S. Aerobic exercise training in children and adolescents with inflammatory bowel disease: Influence on psychological functioning, sleep and physical activity - an exploratory trial. <i>Mental Health and Physical Activity</i> , 2017;13:30-39	A	9	2.21
Mählmann L, Geber M, Furlano RI, Legeret C, Kalak N, Holsboer-Trachsler E, Brand S. Impaired objective and subjective sleep in children and adolescents with inflammatory bowel disease (IBD) compared to healthy controls. <i>Sleep Medicine</i> , 2017;39:25-31	A	9	3.391
Mählmann L, Gerber M, Furlano RI, Legeret C, Kalak N, Holsboer-Trachsler E, Brand S. Psychological wellbeing and physical activity in children and adolescents with inflammatory bowel disease compared to healthy controls. <i>BMC Gastroenterol</i> . 2017 Dec 12;17(1):160. doi: 10.1186/s12876-017-0721-7.	A		2.212
Norton, P. J., Gorji, A., Sadeghi Bahmani, D., Brand, S., Burgmer, M., Cabrera, C., Deacon, B. J., Drummond, S. P. A., Hitchcock, C., Rosenbaum, S., & Ward, P. B. (2017). Trauma, anxiety, and depression in Iran: A report from the 3rd International Anxiety Congress in Iran. <i>the Behavior Therapist</i> , 40, 192-194.	C	1	--
Sadeghi Bahmani D, Calabrese P, Merkt H, Naegelin Y, Gerber M, Pühse U, Holsboer- Trachsler E, Brand S. Multiple Sclerosis: Associations between Physical Disability and Depression are Not Mediated by Self-reported Physical Activity. <i>Perceptual and Motor Skills</i> . 2017;124:974-991.	C	2	0.618
Urfer-Maurer N, Weidmann R, Brand S, Holsboer-Trachsler E, Grob A, Weber P, Lemola S. The association of mothers' and fathers' insomnia symptoms with school-aged children's sleep assessed by parent report and in-home sleep-electroencephalography. <i>Sleep Medicine</i> . 2017;38:64-70	A	7	3.391
2016			
Ahmadpanah M, Keshavarz M, Haghghi M, Jahangard L, Bajoghli H, Sadeghi Bahmani D, Holsboer-Trachsler E. Brand S. Higher emotional intelligence is related to lower test anxiety among students. <i>Neuropsychiatric Disease and Treatment</i> , 2016;12:133-136	B	3	1.78
Ahmadpanah M, Paghale SJ, Bakhtyari A, Kaikhavani S, Aghaei E, Nazaribadie M, Holsboer-Trachsler E, Brand S. Effects of psychotherapy in combination with pharmacotherapy, when compared to pharmacotherapy only on blood pressure, depression, and anxiety in female patients with hypertension. <i>J Health Psychol</i> . 2016;21:1216-1227	B	5	2.01
Ahmadpanah M, Sheikhabaei M, Haghghi M, Roham F, Jahangard L, Akhondi A, Sadeghi Bahmani D, Bajoghli H, Holsboer-Trachsler E, Brand S. Validity and test-retest validity of the Persian version of the Montgomery-Asberg Depression Rating Scale. <i>Neuropsychiatric Disease and Treatment</i> , 2016;12:603-607.	B	3	1.78

Barati M, Ahmadpanah M, Shirahmadi S, Bashirian S, Parsa P, Holsboer-Trachsler E, Brand S, Haghghi M. Differential Impact of Sociodemographic Variables on the Quality of Life of Menopausal Iranian Women. <i>Avicenna Journal of Neuropsychophysiology</i> , 2016; 3(2):e39026.	C	1	-
Brand S, Colledge F, Beeler N, Puehse U, Kalak N, Sadeghi Bahmani D, Mikoteit T, Holsboer-Trachsler E, Gerber M. The current state of physical activity and exercise programs in German-speaking, Swiss psychiatric hospitals: results from a brief online survey. <i>Neuropsychiatric Disease and Treatment</i> , 2016;12:1309-1317.	B	3	1.78
Brand S, Kalak N, Gerber M, Clough PJ, Lemola S, Pühse U, Holsboer-Trachsler E. During early and mid-adolescence, greater mental toughness is related to increased sleep quality and quality of life. <i>J Health Psychol</i> . 2016;21:905-915.	B	5	1.88
Brand S, Kirov R, Kalak N, Gerber M, Schmidt NB, Lemola S, Correll CU, Holsboer-Trachsler E. Poor sleep is related to lower emotional competence among adolescents. <i>Behavioral Sleep Medicine</i> . 2016;14:602-614.	B	6	2.33
Farnia V, Shakeri J, Tatari F, Ahmadi Juibari T, Bajoghli H, Golshani S, Hookari S, Holsboer-Trachsler E, Brand S. Demographic and mental history-related data predicted occurrence of psychosis in metamphetamine users. <i>Psychiatry Research</i> . 2016;240:431-434.	A	9	2.467
Gerber M, Colledge F, Pühse U, Holsboer-Trachsler E, Zimmerer S, Brand S. Sleep quality, sleep EEG pattern, mental wellbeing and cortisol secretion in patients with ruptured aneurysm post-treatment: A comparison with post-surgery meningioma patients and controls. <i>Neuropsychobiology</i> . 2016;73:148-159.	A	7	2.25
Gerber M, Endes K, Herrmann Ch, Colledge F, Brand S, Donath L, Faude O, Pühse U, Hanssen H, Zahner L. Does Physical Fitness Buffer the Relationship between Psychosocial Stress, Retinal Vessel Diameters, and Blood Pressure among Primary Schoolchildren? <i>BioMed International</i> 2016;Article ID 6340431.	A	1	2.16
Gerber M, Endes K, Herrmann Chr, Colledge F, Brand S, Donath L, Faude O, Pühse U, Hansen H, Zahner L. In 6- to 8-year-old children, hair cortisol is associated with body mass index and somatic complaints, but not with stress, health-related quality of life, blood pressure, retinal vessel diameters, and cardiorespiratory fitness. <i>Psychoneuroendocrinology</i> , 2016;76:1-10	A	2	4.7
Gerber M, Holsboer-Trachsler E, Pühse U, Brand S. Author's reply to the Letter to the Editor "Exercise is medicine for depression: Even if the "pill" is small" of Hallgren, Stubbs and Vancampfort. <i>Neuropsychiatric Disease and Treatment</i> . 2016;12:2717-2720.	B	4	1.88
Gerber M, Holsboer-Trachsler E, Pühse U, Brand S. Author's reply to the Letter to the Editor "Exercise is medicine for depression: Even if the "pill" is small" of Hallgren, Stubbs and Vancampfort. <i>Neuropsychiatric Disease and Treatment</i> . 2016;12:3-7.	B	4	1.86
Gerber M, Lang C, Lemola S, Colledge F, Kalak N, Holsboer-Trachsler E, Pühse U, Brand S. Validation of the German Version of the Insomnia Severity Index in Adolescents, Young Adults and Adult Workers: Results	A	7	2.210

from Three Cross-Sectional Studies. BMC Psychiatry. 2016;16:174.			
Ghaleiha A, Davari H, Jahangard L, Haghghi M, Ahmadpanah M, Seifrabie MA, Bajoghli H, Holsboer-Trachsler E, Brand S. Adjuvant thiamine improved standard treatment in patients with major depressive disorder: results from a randomized, double-blind, and placebo-controlled clinical trial. European Archives of Psychiatry and Clinical Neuroscience. 2016;266(8):695-702.	A	10	3.525
Haghghi M, Barikani R, Jahangard L, Ahmadpanah M, Bajoghli H, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Levels of mania and cognitive performance two years after ECT in patients with bipolar I disorder - results from a follow-up study. Comprehensive Psychiatry, 2016;69:71-77.	A	7	2.25
Haghghi M, Jahangard L, Ahmadpanah M, Bajoghli H, Holsboer-Trachsler E, Brand S. The relation between anxiety and BMI – is it all in our curves? Psychiatry Research. 2016;235;49-54.	A	7	2.467
Holsboer-Trachsler E, Hättenschwiler J, Beck J, Brand S, Hemmeter UM, Keck ME, Rennhard S, Hatzinger M, Merlo M, Bondolfi G, Preisig M, Gehret A, Bielinski D, Seifritz E. Die Akutbehandlung depressiver Episoden. Swiss Medical Forum, 2016;16:716-724.	C	1	---
Holsboer-Trachsler E, Hättenschwiler J, Beck J, Brand S, Hemmeter UM, Keck ME, Rennhard S, Hatzinger M, Merlo M, Bondolfi G, Preisig M, Gehret A, Bielinski D, Seifritz E. Erhaltungstherapie und Rezidivprophylaxe unipolarer depressiver Störungen. Swiss Medical Forum, 2016;16: 739–743.	C	1	---
Jahangard L, Akbarian S, Haghghi M, Ahmadpanah M, Keshavarzi A, Bajoghli H, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Children with ADHD and symptoms of oppositional defiant disorder improved in behavior when treated with methylphenidate and adjuvant risperidone, though weight gain was also observed - results from a randomized, double-blind, placebo-controlled clinical trial. Psychiatry Research, 2016;251:182-191.	A	5	2.48
Jahangard L, Haghghi M, Shyayganfar M, Ahmadpanah M, Sadeghi Bahmani D, Bajoghli H, Holsboer-Trachsler E, Brand S. Repetitive Transcranial Magnetic Stimulation (rTMS) improved symptoms of obsessive compulsive disorders (OCD), but also cognitive performance? - Results form a randomized clinical trial with cross-over design and sham-condition. Neuropsychobiology. 2016;17:224-232.	A	8	2.261
Lang C, Feldmeth AK, Brand S, Holsboer-Trachsler E, Pühse U, Gerber M. Stress Management in Physical Education Class: An experiential approach To Improve Coping Skills and Reduce Stress Perceptions in Adolescents. J of Teaching in Physical Education. 2016;35:149-158.	C	1	0.75
Ludyga S, Gerber M, Brand S, Holsboer-Trachsler E, Pühse U. The acute effects of moderate aerobic exercise on specific aspects of executive function in different age and fitness groups: A meta-analysis. Psychophysiology, 2016;53(11):1611-1626.	A	8	3.074
Maurer, N., Perkins-Gloor, N., Stalder, T., Hagmann-von Arx, P., Brand, S., Holsboer-Trachsler, E., Wellmann, S., Grob, A., Weber, P., & Lemola,	A	4	4.704

S. Salivary and hair glucocorticoids and sleep in very preterm children during school age. Psychoneuroendocrinology. 2016;72:166–174. DOI: 10.1016/j.psyneuen.2016.07.003			
Mikoteit T, Beck J, Hemmeter UM, Brand S, Schmitt K, Bischof R, Delini-Stula A, Holsboer-Trachsler E, Eckert A. Mature brain-derived neurotrophic factor (BDNF) is the major player of total BDNF in serum regarding prediction of antidepressant treatment outcome. Psychopharmacology, 2016;233:153-155.	A	2	3.875
Nakkas C, Annen H, Brand S. Psychological distress and coping in military cadre candidates. Neuropsychiatric Disease and Treatment. 2016;12:2237-2243.	B	4	1.87
Rahimi A, Ahmadpanah M, Shamsaei, F, Cheraghi F, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Effect of adjuvant sleep hygiene psychoeducation and lorazepam on depression and sleep quality in patients with major depressive disorders - results from a randomized three-arm intervention. Neuropsychiatric Disease and Treatment, 2016;12:1507-1515.	B	4	1.78
Razazian N, Yavari Z, Farnia V, Azizi A, Kordavani L, Sadeghi Bahmani D, Holsboer-Trachsler E, Brand S. Exercising impacts on fatigue, depression, and paresthesia in female patients with MS. Medicine & Science in Sports and Exercise, 2016;5:796-803.	A	10	3.983
Sabouri S, Gerber M, Lemola S, Becker SP, Shamsi M, Shakouri Z, Sadeghi Bahmani D, Kalak N, Holsboer-Trachsler E, Brand S. Examining Dark Triad traits in relation to sleep disturbances, anxiety sensitivity and intolerance of uncertainty among young adults. Comprehensive Psychiatry, 2016;68:103-110.	A	7	2.252
Sabouri S, Gerber M, Sadeghi Bahmani D, Lemola S, Clough PJ, Kalak N, Shamsi M, Holsboer-Trachsler E, Brand S. 2016. Examining Dark Triad Traits in Relation to Mental Toughness and Physical Activity in Young Adults. Neuropsychiatric Disease and Treatment. 2016;12:229-235.	B	5	1.78
Sadeghi Bahmani D, Gerber M, Kalak N, Lemola S, Clough PJ, Calabrese P, Shaygannejad V, Pühse U, Holsboer-Trachsler E, Brand S. Mental toughness, sleep disturbances and physical activity in patients with multiple sclerosis (MS) compared to healthy adolescents and young adults. Neuropsychiatric Disease and Treatment, 2016;12:1571-1579.	B	4	1.86
Sadeghi Bahmani D, Hatzinger M, Gerber M, Lemola, S, Clough JP, Perren S, von Klitzing K, Von Wyl A, Holsboer-Trachsler E, Brand S. The origins of mental toughness - prosocial behavior and low internalizing and externalizing problems at age 5 predict higher mental toughness scores at age 14. Front Psychol, Psychopathol, 2016,7:1221. doi: 10.3389/fpsyg.2016.01221	A	10	2.46
Salehi I, Hosseini SM, Haghghi M, Jahangard L, Bajoghli H, Gerber M, Pühse U, Holsboer-Trachsler E, Brand S. Electroconvulsive therapy (ECT) and aerobic exercise training (AET) increased plasma BDNF and ameliorated depressive symptoms in patients suffering from major depressive disorder. J Psych Res. 2016;76:1-8.	A	10	3.975
Shakeri J, Farnia V, Karimi AR, Tatari F, Ahmadi Juibari T, Alikhani M, Bajoghli H, Holsboer-Trachsler E, Brand S. The prevalence and clinical	A	6	3.423

features of amphetamine-induced obsessive compulsive disorder. Drug and Alcohol Dependence, 2016;160:157-162.			
Shayganfard M, Jahangard L, Nazaribadie M, Haghghi M, Ahmadpanah M, Sadeghi Bahmani D, Bajoghli H, Holsboer-Trachsler E, Brand S. Repetitive transcranial magnetic stimulation (rTMS) improved symptoms of obsessive-compulsive disorders (OCD), but not executive functions - results from a randomized clinical trial with cross-over design and sham-condition. Neuropsychobiology, 2017; 2016;74:115-124.	B	5	1.763
Zamani HS, Fathirezaie Z, Brand S, Pühse U, Holsboer-Trachsler, Talepasand S, Gerber M. Physical activity and self-esteem: Testing direct and indirect relationships associated with psychological and physical mechanisms. Neuropsychiatric Disease and Treatment. 2016;12:2617-2625.	B	2	1.88
2015			
Abdoli N, Farnia V, Delavar A, Esmaeili A, Dortaj F, Farrokhi N, Karami M, Shakeri J, Holsboer-Trachsler E, Brand S. 2015. Mental health status, aggression, and poor driving distinguish traffic offenders from non-offenders but health status predicts driving behavior in both groups behavior in both groups. Neuropsychiatric Disease and Treatment, 2015; 11:2063-2070.	B	4	2.145
Abdoli N, Farnia V, Delavar A, Esmaeili A, Dortaj F, Farrokhi N, Karami M, Shakeri J, Holsboer-Trachsler E, Brand S. 2015. Poor mental health status and aggression are associated with poor driving behavior among male traffic offenders. Neuropsychiatric Disease and Treatment, 2015; 11:2071-2078.	B	4	2.145
Ahmadian A, Mirzaee J, Omidbeygi M, Holsboer-Trachsler E, Brand S. Differences in maladaptive schemas between patients suffering from chronic and acute post-traumatic stress disorder (PTSD) and healthy controls. Neuropsychiatric Disease and Treatment. 2015; 11:1677-84.	B	4	2.145
Ahmadpanah M, Haghghi M, Jahangard L, Borzoei S, Heshmati S, Bajoghli H, Holsboer-Trachsler E, Brand S. 2015. No evidence for metabolic syndrome and lipid profile differences in patients suffering from bipolar I disorder with and without suicide attempts. Int J Psychiatry Clin Pract. 2015 Jun 9:1-6	C	3	1.33
Akbarian F, Bajoghli H, Haghghi M, Kalak N, Holsboer-Trachsler E, Brand S. 2015 The effectiveness of cognitive behavioral therapy with respect to psychological symptoms and recovering autobiographical memory in patients suffering from post-traumatic stress disorder. Neuropsychiatr Dis Treat. 2015 Feb 19;11:395-404.	B	5	2.145
Arida RM, Gomes da Silva S, de Almeida AA, Cavalheiro EA, Zavala-Tecuapetla C, Brand S, Rocha L. 2015. Differential effects of exercise on brain opioid receptor binding and activation in rats. J Neurochem. 2015 Jan;132(2):206-17.	A	3	4.244
Bazzazi N, Ahmadpanah M, Akbarzadeh S, Seif Rabiei MA, Holsboer-Trachsler E, Brand S. 2015. In patients suffering from idiopathic central serous chorioretinopathy, anxiety scores are higher than in healthy controls, but do not vary according to sex or repeated central serous chorioretinopathy. Neuropsychiatr Dis Treat. 2015 Apr 28;11:1131-6.	B	5	2.145

Beck J, Bruni N, Brand S, Holsboer-Trachsler E. 2015. Repeated Cortisol Awakening Response as Predictor of Antidepressant Treatment Outcome with Duloxetine. <i>Neuropsychobiology</i> . 2015 Apr 9;71(2):97-102.	B	2	2.35
Brand S, Foell S, Bajoghli H, Keshavarzi Z, Kalak N, Gerber M, Schmidt NB, Norton PJ, Holsboer-Trachsler E. (2015) "Tell me, how bright your hypomania is, and I tell you, if you are happily in love!" – Among young adults in love, bright side hypomania is related to low depression and anxiety and better sleep quality. <i>Int J Psychiatry in Clinical Practice</i> . 19(1):24-31.	B	4	1.313
Brand S, Hatzinger M, Stadler C, Bolten M, von Wyl A, Perren S, von Klitzing K, Stadelmann S, Holsboer-Trachsler E. 2015. Does objectively assessed sleep at five years predict sleep and psychological functioning at 14 years? - Hmm, yes and no! <i>J Psychiatr Res</i> . 2015 Jan;60:148-55	A	10	4.09
Brand S, Jossen S, Pühse U, Holsboer-Trachsler E, Gerber M. 2015. Impact of aerobic exercise on sleep and motor skills in children with Autism Spectrum Disorder - a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 11:1911-1920.	B	5	2.154
Brand S, Kirov R, Kalak N, Gerber M, Pühse U, Lemola S, Correll CU, Cortese S, Meyer T, Holsboer-Trachsler E. Perfectionism related to self-reported insomnia severity, but not when controlled for stress and emotion regulation. <i>Neuropsychiatr Dis Treat</i> . 2015 Feb 3;11:263-71	B	6	2.145
Elliot C, Lang C, Brand S, Holsboer-Trachsler E, Pühse U, Gerber M. 2015. The relationship between meeting vigorous physical activity recommendations and burnout symptoms among adolescents: an exploratory study with vocational students. <i>J Sport Exerc Psychol</i> . 2015 Apr;37(2):180-92.	B	1	1.0
Farnia V, Shirzadifar M, Shakeri J, Rezaei M, Bajoghli H, Holsboer-Trachsler E, Brand S. 2015. Rosa damascena oil improves SSRI-induced sexual dysfunction in male patients suffering from major depressive disorders: results from a double-blind, randomized, and placebo-controlled clinical trial. <i>Neuropsychiatr Dis Treat</i> . 2015 Mar 9;11:625-35.	B	5	2.145
Farnia V, Shirzadifar M, Shakeri J, Rezaei M, Bajoghli H, Holsboer-Trachsler E, Brand S. Adjuvant Rosa damascena has a small effect on SSRI-induced sexual dysfunction in female patients suffering from MDD. <i>Pharmacopsychiatry</i> . 2015; 48:156-63.	B	4	2.10
Gerber, M., Feldmeth, A.K., Lang, C., Brand, S., Elliot, C., Holsboer-Trachsler, E., & Pühse, U. (2015). The relationship between mental toughness, stress and burnout among adolescents: A longitudinal study with Swiss vocational students. <i>Psychological Reports</i> . 2015;117:703-723	C	1	0.53
Haghghi M, Shayganfar M, Jahangard L, Ahmadpanah M, Bajoghli H, Pirdehghan A, Holsboer-Trachsler E, Brand S. Repetitive Transcranial Magnetic Stimulation (rTMS) improves symptoms and reduces clinical illness in patients suffering from OCD - Results from a single-blind, randomized clinical trial with sham cross-over condition. <i>Journal of Psychiatric Research</i> . 2015;68:238-244.	A	10	4.09
Jochum H, Baumgarter-Gruber A, Brand S, Zeilhofer H-F, Leiggner CS. in press. Chronische Kiefer- und Gesichtsschmerzen. Psychoedukation und	C	2	1.504

Physiotherapie verringern Schmerzen bei Patienten mit chronischen Kiefer- und Gesichtsschmerzen in Abhängigkeit der Schmerzchronifizierung. Eine Pilotstudie. [Chronic myofacial pain: Reduced pain through psychoeducation and physiotherapy]. <i>Der Schmerz</i> . 2015;29:285-292.			
Jochum H, Baumgartner-Gruber A, Brand S, Zeilhofer HF, Keel P, Leiggerner CS. Myofacial is not the same as myofascial. <i>Der Schmerz</i> . 2015;29:665-6.	C	1	1.504
Kalak N, Brand S, Beck J, Holsboer-Trachsler E, Wollmer MA. Association between subjective actual sleep duration, subjective sleep need, age, body mass index, and gender in a large sample of young adults. <i>Neuropsychiatr Dis Treat</i> . 2015 Jan 9;11:107-13.	B	4	2.154
Lang C, Kalak N, Brand S, Holsboer-Trachsler E, Pühse U, Gerber M. The relationship between physical activity and sleep from mid adolescence to early adulthood. A systematic review of methodological approaches and meta-analysis. <i>Sleep Medicine Reviews</i> . 2015; 28:28-41.	A	10	8.513
Lemola S, Perkinson-Gloor N, Brand S, Dewald-Kaufmann JF, Grob A. 2015. Adolescents' electronic media use at night, sleep disturbance, and depressive symptoms in the smartphone age. <i>J Youth Adolesc</i> . 2015 Feb;44(2):405-18	A	2	2.87
Lemola S, Perkinson-Gloor N, Hagmann-von Arx P, Brand S, Holsboer-Trachsler E, Grob A, Weber P. Morning cortisol secretion in school-age children is related to the sleep pattern of the preceding night. <i>Psychoneuroendocrinology</i> . 2015 Feb;52:297-301	A	2	5.591
Mikoteit T, Hemmeter UM, Eckert A, Brand S, Bischof R, Delini-Stula A, Holsboer-Trachsler E, Beck J. Improved alertness is associated with early increase in serum brain-derived neurotrophic factor and antidepressant treatment outcome in major depression. <i>Neuropsychobiology</i> . 2015;72(1):16-28.	A	2	2.35
Perkinson-Gloor N, Hagmann-von Arx P, Brand S, Holsboer-Trachsler E, Weber P, Grob A, Lemola S. Intra-individual long-term stability of the sleep-EEG in school-age children. <i>Sleep Medicine</i> . 2015; 16(11):1348-1351.	A	3	3.154
Perkinson-Gloor N, Hagmann-von Arx P, Brand S, Holsboer-Trachsler E, Grob A, Weber P, Lemola S. The role of sleep and the hypothalamic-pituitary-adrenal axis for behavioral and emotional problems in very preterm children during middle childhood. <i>J Psychiatr Res</i> . 2015 Jan;60:141-7.	A	3	4.09
2014			
Ahmadpanah M, Sabzeiee P, Hosseini SM, Torabian S, Haghghi M, Jahangard L, Bajoghli H, Holsboer-Trachsler E, Brand S. (2014). Comparing the effect of prazosin and hydroxyzine on sleep quality in patients suffering from posttraumatic stress disorder. <i>Neuropsychobiology</i> 69(4):235-42.	A	7	2.35
Ahmadpanah M, Soheili S, Jahangard L, Bajoghli H, Haghghi M, Holsboer-Trachsler E., Conrad D, Brand S, Keikhavandi S (2014). Cooperative Learning Improves Social Skills and Knowledge of Science Topics in Pre-adolescent Children in Iran. <i>British Journal of Education</i> ,	C	1	--

Society, and Behavioural Science. 04/2014; 4(8):1029-1037.			
Bajoghli H, Keshavarzi Z, Mohammadi MR, Schmidt NB, Norton PJ, Holsboer-Trachsler E, Brand S. (2014). "I love you more than I can stand!" - Romantic love, symptoms of depression and anxiety, and sleep complaints are related among young adults. <i>Int J Psychiatry Clin Pract.</i> 18(3):169-74.	B		1.313
Brand S, Furlano R, Sidler M, Schulz J, Holsboer-Trachsler E. (2014). Associations between infants' crying, sleep and cortisol secretion and mother's sleep and well-being. <i>Neuropsychobiology.</i> 69:39-51.	B	8	2.35
Brand S, Gerber M, Kalak N, Kirov R, Lemola S, Clough PJ, Pühse U, Holsboer-Trachsler E. (2014). Adolescents With Greater Mental Toughness Show Higher Sleep Efficiency, More Deep Sleep and Fewer Awakenings After Sleep Onset. <i>J Adolescent Health,</i> 54,109-113.	A	10	3.30
Brand S, Gerber M, Kalak N, Kirov R, Lemola S, Clough PJ, Pühse U, Holsboer-Trachsler E.(2014). "Sleep well, our tough heroes!" – In adolescence, greater mental toughness is related to better sleep schedules. <i>Behavioral Sleep Medicine,</i> 12:1-11.	C	2	1.20
Brand S, Kalak N, Gerber M, Kirov R, Pühse U, Holsboer-Trachsler E. (2014). High self-perceived exercise exertion before bedtime is associated with greater objectively assessed sleep efficiency. <i>Sleep Med.</i> 2014 Sep;15(9):1031-6.	A	10	3.48
Brand S, Zimmerer S, Kalak N, Planta SV, Schwenzer-Zimmerer K, Müller AA, Zeilhofer HF, Holsboer-Trachsler E. (2014). Compared to controls, patients with ruptured aneurysm and surgical intervention show increase in symptoms of depression and lower cognitive performance, but their objective sleep is not affected. <i>World J Biol Psychiatry.</i> 16(2):96-105.	A	10	3.75
Farnia V, Shakeri J, Tatari F, Juibari TA, Yazdichi K, Bajoghli H, Brand S, Abdoli N, Aghaei A. (2014). Aripiprazole versus Risperidone in amphetamine induced psychotic disorder. <i>The American Journal of Drug and Alcohol Abuse.</i> 40(1): 10–15.	B	1	1.77
Gerber M, Lindwall M, Brand S, Lang C, Elliot C, Pühse U. (2014). Longitudinal relationships between perceived stress, exercise self-regulation and exercise involvement among physically active adolescents. <i>Journal of Sports Science.</i> 33(4):369-80.	C	1	0.98
Gerber M, Brand S, Elliot C, Holsboer-Trachsler E and Pühse U: Aerobic exercise, ball sports, dancing, ad weight lifting as moderators of the relationship between stress and depressive symptoms: an exploratory cross-sectional study with Swiss university students. <i>Perceptual and Motor Skills</i> 2014;119(3):679-97.	C	2	0.7
Ghaleiha A, Haghghi M, Sharifmehr M, Jahangard L, Ahmadpanah M, Bajoghli H, Holsboer-Trachsler E, Brand S.(2014). Oral Loading of Sodium Valproate Compared to Intravenous Loading and Oral Maintenance in Acutely Manic Bipolar Patients. <i>Neuropsychobiology.</i> 2014 Aug 21;70(1):29-35.	A	8	2.35
Giese M, Beck J, Brand S, Muheim F, Hemmeter UM, Hatzinger M, Holsboer-Trachsler E, Eckert A. (2014). Fast BDNF Serum Level Increase	A	2	4.09

and Association of Diurnal BDNF Profile with Antidepressant Therapy Response after Partial Sleep Deprivation. J Psychiatric Research. 59:1-7			
Haghghi M, Khodakarami S, Jahangard L, Ahmadpanah M, Bajoghli H, Holsboer-Trachsler E, Brand S. (2014). In a randomized, double-blind clinical trial, adjuvant atorvastatin improved symptoms of depression and blood lipid values in patients suffering from severe major depressive disorder. J Psych Res. 58:109-14.	A	10	4.09
Hagmann-von Arx P, Perkinson-Gloor N, Brand S, Albert D, Holsboer-Trachsler E, Grob A, Weber P, Lemola S. 2015. In school-age children who were born very preterm sleep efficiency is associated with cognitive function. Neuropsychobiology. 2014;70(4):244-52.	A	2	2.37
Kalak N, Lemola S, Brand S, Holsboer-Trachsler E, Grob A. (2014). Sleep duration and subjective psychological wellbeing in adolescence: A longitudinal study in Switzerland and Norway. Neuropsychiatr Dis Treat 10:1199-207.	B	2	2.00
Keshavarzi Z, Bajoghli H, Mohamadi MR, Salmanian M, Kirov R, Gerber M, Holsboer-Trachsler E, Brand S. (2014). In a randomized case-control trial with 10-years olds suffering from attention deficit/hyperactivity disorder (ADHD) sleep and psychological functioning improved during a 12-week sleep-training program. World J Biol Psychiatry. 15(8):609-19.	A	10	4.35
Keshavarzi F, Farnia V, Yazdchi K, Najafi F, Brand S, Bajoghli H, Nankali A, Salmanzadeh (2014). The Effect of Maternal Anxiety on Maternal Serum and Fetal Cord Blood Cortisol. Asia-Pacific Psychiatry. 6(4):435-9	C	1	0.5
Jahangard L, Haghghi M, Bajoghli H, Holsboer-Trachsler E, Brand S. Among a sample of Iranian premenopausal and menopausal women differences in mood, sleep and health quality are small. Int J Psychiatry Clin Pract. 2014 Jun;18(2):139-44.	C	2	1.33
Jahangard L, Soroush S, Haghghi M, Ghaleiha A, Bajoghli H, Holsboer-Trachsler E, Brand S. 2014. In a double-blind, randomized and placebo-controlled trial, adjuvant allopurinol improved symptoms of mania in inpatients suffering from bipolar disorder. Eur Neuropsychopharmacol. 2014 Aug;24(8):1210-21.	A	9	5.532
Kirov R, Brand S. 2014. Sleep problems and their effect in ADHD. Expert Rev Neurother. 2014 Mar;14(3):287-99.	A	8	2.834
Mikoteit T, Beck J, Eckert A, Hemmeter U, Brand S, Bischof R, Holsboer-Trachsler E, Delini-Stula A. (2014). High baseline BDNF serum levels and early psychopathological improvement are predictive of treatment outcome in major depression. Psychopharmacology (Berl). 231(15):2955-65.	A	2	4.07
Mueller AA, Kalak N, Schwenzer-Zimmerer K, Holsboer-Trachsler E, Brand S. (2014). Cortisol levels and sleep patterns in infants with OFC undergoing surgery. Neuropsychiatric Disease and Treatment. 10:1965-72.	B	6	2.145
Salehi I, Hosseini SM, Haghghi M, Jahangard L, Bajoghli H, Gerber M, Pühse U, Kirov R, Holsboer-Trachsler E, Brand S. (2014). Electroconvulsive therapy and aerobic exercise training increased BDNF and ameliorated depressive symptoms in patients suffering from treatment-resistant major depressive disorder. J Psychiatr Res. 2014 Oct;57:117-24.	A	10	4.09

Vogler N, Perkinson-Gloor N, Brand S, Grob A, Lemola S. (2014). Sleep, Aggression, and Psychosocial Adjustment in Male Prisoners. <i>Swiss Journal of Psychology</i> , 73:167-176.	C	1	0.755
Wollmer MA, Kalak N, Jung S, de Boer C, Magid M, Reichenberg JS, Brand S, Holsboer-Trachsler E, Kruger TH. (2014). Agitation predicts response of depression to botulinum toxin treatment in a randomized controlled trial. <i>Front Psychiatry</i> . 2014 Mar 31;5:36.	C	A	2.8
2013			
Bajoghli H, Alipouri A, Holsboer-Trachsler E, Brand S. (2013). Sleep patterns and psychological functioning in families in northeastern Iran; evidence for similarities between adolescent children and their parents. <i>Journal of Adolescence</i> , 36: 1103-1113.	A	8	1.88
Bajoghli H., Joshaghani, N., Gerber, M., Mohammadi MR., Holsboer-Trachsler, E., & Brand, S. (2013). In Iranian female and male adolescents, romantic love is related to hypomania and low depressive symptoms, but also to higher state anxiety. <i>International Journal of Psychiatry in Clinical Practice</i> , 17:98-109.	C	2	0.5
Beck J, Gerber M, Brand S, Pühse U, Holsboer-Trachsler E.(2013) Executive function performance is reduced during occupational burnout but can recover to the level of healthy controls. <i>J Psychiatr Res</i> 47:1824-30.	A	4	4.07
Brand S, Beck J, Hatzinger M, Holsboer-Trachsler E. (2013). Patients suffering from restless legs syndrome (RLS) have low internal locus of control and poor psychological functioning compared to healthy controls. <i>Neuropsychobiology</i> , 68, 51-58.	A	8	2.67
Gerber, M., Brand, S., Elliot, C., Holsboer-Trachsler, E., Pühse, U., Beck, J. (2013). Aerobic exercise training and burnout: A Pilot study with male participants suffering from burnout. <i>BMC Research Notes</i> , 2013, 6:78.	C	1	-
Gerber, M., Brand, S., Feldmeth, A.K., Lang, C., Elliot, C., Holsboer-Trachsler, E., & Pühse, U. (2013). Adolescents with high mental toughness adapt better to perceived stress: A longitudinal study with Swiss vocational students. <i>Personality and Individual Differences</i> 54:808-814.	A	6	1.88
Gerber M, Jonsdottir IH, Kalak N, Elliot C, Pühse U, Holsboer-Trachsler E, Brand S. (2013) Objectively assessed physical activity is associated with increased hair cortisol content in young adults. <i>Stress</i> 16:593-9.	A	8	3.25
Gerber, M., Kalak, N., Lemola, S., Clough, P., Perry, J., Pühse, U., Holsboer-Trachsler, E., Brand, S. (2013). Are adolescents with high mental toughness levels more resilient against stress? <i>Stress & Health</i> , 29(2):164-71.	B	3	1.23
Gerber, M., Kalak, N., Elliot, C., Holsboer-Trachsler, E., Pühse, U., & Brand, S. (2013). Both hair cortisol levels and perceived stress predict increased symptoms of depression. An exploratory study with young adults. <i>Neuropsychobiology</i> , 68(2):100-9	A	8	2.67
Gerber, M., Kellmann, M., Elliot, C., Hartmann, T., Brand, S., Holsboer-Trachsler, E., & Pühse, U. (2013). Perceived fitness protects against stress-	B	2	1.55

based mental health impairments among police officers who report good sleep. Journal of Occupational Health, 55:376-384.			
Gerber, M; Lang, C; Feldmeth, A K; Elliot, C; Brand, S; Holsboer-Trachsler, E; Pühse, U. (2013). Burnout and mental health in Swiss vocational students: The moderating role of physical activity. Journal of Research on Adolescence.	A	2	2.7
Giese M, Unternaehrer E, Brand S, Calabrese P, Holsboer-Trachsler E, Eckert A. (2013) The interplay of stress and sleep impacts BDNF level. PLoS One. 2013 Oct 16;8(10):e76050.	A	7	3.77
Giese M, Unternährer E, Hüttig H, Beck J, Brand S, Calabrese P, Holsboer-Trachsler E, Eckert A. (2013). BDNF- an indicator of insomnia? Molecular Psychiatry, 1-2.	A	2	13.6
Haghghi, M; Jahangard, L; Mohammad-Beigi, H; Bajoghli, H; Hafezian, H; Rahimi, A; Afshar, H; Holsboer-Trachsler, E; Brand, S. (2013). In a double-blind, randomized and placebo-controlled trial, adjuvant memantine improved symptoms in inpatients suffering from refractory obsessive-compulsive disorders (OCD). Psychopharmacology. 2013 Aug;228(4):633-40.	A	10	4.077
Haghghi, M, Bajoghli H, Bigdelou G, Jahangard L, Holsboer-Trachsler E, Brand S. (2013). Assessment of cognitive impairments and seizure characteristics in ECT with and without sodium valproate in manic patients. Neuropsychobiology; 67:14-24.	A	8	2.67
Haghghi M, Salehi I, Erfani P, Jahangard L, Bajoghli H, Holsboer-Trachsler E, Brand S. (2013). Additional ECT increases BDNF-levels in patients suffering from major depressive disorders compared to patients treated with citalopram only. Journal of Psychiatric Research 47(7):908-15.	A	10	4.66
Hatzinger M*, Brand S*, Perren S, von Wyl A, Stadelmann S, von Klitzing K., Holsboer-Trachsler E. (2013). In pre-school children, cortisol secretion remains stable over 12 months and is related to psychological functioning and gender. Journal of Psychiatric Research. 47:1409-16	A	10	4.07
Hatzinger M, Brand S, Perren S, Von Wyl A, Stadelmann S, von Klitzing K, Holsboer-Trachsler E. (2013) In pre-school children, sleep objectively assessed via sleep-EEGs remains stable over 12 months and is related to psychological functioning, but not to cortisol secretion. 47:1809-14.	A	10	4.07
Jahangard L, Haghghi M, Bajoghli H, Holsboer-Trachsler E, Brand S. (2013). Among a sample of Iranian students, adult attention deficit hyperactivity disorder (ADHD) is related to childhood ADHD, but not to age, gender, socio-economic status or birth order – an exploratory study. International Journal of Psychiatry in Clinical Practice. 17(4):273-8.	C	2	0.5
Kamalinia G, Brand S, Ghaeli P, Abedi N, Bajoghli H, Sharifi V, Zahiroddin A, Amini M, Rounini M, Holsboer-Trachsler E, Mohammadpoor A. (2013). Serum level of sodium valproate in patients suffering from bipolar disorders: Comparing acute and maintenance phases of mania. Pharmacopsychiatry 46:83-7.	B	4	2.07
Lang C, Brand S, Feldmeth AK, Holsboer-Trachsler E, Pühse U, Gerber M. (2013). Increased self-reported and objectively assessed physical activity	A	6	2.87

predict sleep quality among adolescents. Physiol Behav. 120:46-53.			
Mikoteit T., Brand S., Beck J., Perren S., von Wyl A., von Klitzing K., Holsboer-Trachsler E., Hatzinger M. (2013). Visually detected NREM Stage 2 sleep spindles in kindergarten children are associated with current and future emotional and behavioural characteristics. Journal of Sleep Research, 22:129-136.	A	7	3.16
Seelig E, Keller U, Klarhöfer M, Scheffler K, Brand S, Holsboer-Trachsler E, Hatzinger M, Bilz S. (2013). Neuroendocrine regulation and metabolism of glucose and lipids in primary chronic insomnia: A prospective case-control study. PloSOne, 8(4):e61780.	A	2	4.09
2012			
Brand, S., Holsboer-Trachsler, E., Naranjo JR, Schmidt S. (2012). Influence of mindfulness practice on cortisol and sleep in long-term and short-term meditators. Neuropsychobiology, 65, 109-118.	A	7	2.56
Gerber, M., Kalak, N., Lemola, S., Clough, PJ, Pühse, U., Elliot, C., Holsboer-Trachsler, E., & Brand, S. (2012). Adolescents' exercise and physical activity are associated with mental toughness. Physical Activity and Mental Health, 5, 35-42.	C	3	-
Ghaleiha A, Jahangard L, Sherafat Z, Ahmadpanah M, Brand S, Holsboer-Trachsler E, Bajoghli H, Haghghi M. (2012). Oxybutynin reduces sweating in depressed patients treated with sertraline: A double-blind placebo-controlled clinical trial study. Neuropsychiatric Disease and Treatment, 2012;8:407-412.	B	2	1.809
Gerber, M., Brand, S., Lindwall, M., Elliot, C., Kalak, N., Herrmann, Chr., Pühse, U., Jonsdottir, I.M. (2012). Concerns regarding hair cortisol as a biomarker of chronic stress in exercise and sport science. Journal of Sports Science and Medicine, 11:571-581.	C	2	0.75
Hatzinger, M., Brand, S., Perren, S., von Wyl, A., Stadelmann, S., von Klitzing, K., & Holsboer-Trachsler, E. (2012). Pre-schoolers suffering from psychiatric disorders show increased cortisol secretion and poor sleep compared to healthy controls. Journal of Psychiatric Research, 46;590-599.	A	8	3.83
Holsboer-Trachsler E, Brand S, Horvath A, Bryois C: Verschreibungsverhalten und Wirkung von Trazodon (Trittico regard) bei Patientinnen und Patienten mit depressiven Störungen – Ein Praxiserfahrungsbericht. ARS MEDICI 2012;7:343-345.	C	1	-
Jahangard L, Haghghi M, Bajoghli H, Ahmadpanah M, Ghaleiha A, Zarabian MK, Brand S. (2012). Training emotional intelligence improves both emotional intelligence and depressive symptoms in inpatients with borderline personality disorder and depression. International Journal of Psychiatry in Clinical Practice, 16:197-204.	C	2	0.5
Jahangard, L., Haghghi, M., Bigdelou, GR., Bajoghli, H., & Brand, S. (2012). Comparing efficacy of ECT with and without concurrent sodium valproate therapy in manic patients. The Journal of ECT, 28; 118-123.	B	4	1.330
Kalak, N.*, Gerber, M.* Kirov, R., Mikoteit, T., Yordanova, J., Pühse, U., Holsboer-Trachsler, E., & Brand, S. (2012). Thirty minutes of daily morning running for three weeks improved sleep and psychological	A	10	3.116

functioning in healthy adolescents compared to controls. Journal of Adolescent Health, 51:615-622.* = shared first authorship			
Kalak N*, Gerber M*, Kirov R, Mikoteit T, Puehse U, Holsboer-Trachsler E, Brand S. (2012). The relation of objective sleep patterns, depressive symptoms, and sleep disturbances in adolescent children and their parents: A sleep-EEG study with 47 families. Journal of Psychiatric Research, 46, 1374-1382.* = shared first authorship	A	10	4.66
Klitzing, K. v., Perren, S., Klein, A.M., Stadelmann, S., Groeben, M., Holsboer-Trachsler, E., Brand, S., Hatzinger, M. (2012). The interplay of social risk factors and HPA axis dysregulation in predicting emotional symptoms of five and six year old children. Journal of Psychiatric Research, 46, 290-297.	A	2	3.83
Kirov, R., Brand, S., Kolev, V., Yordanova J. (2012). Commentary on the target article “The brain basis of emotion: A meta-analytic review” by Kristen A. Lindquist, Tor D. Wager, Hedy Kober, Eliza Bliss-Moreau, and Lisa Feldman Barrett. Behavioral and Brain Sciences, 35:155-6.	A	8	21.95
Mikoteit, T., Brand, S., Beck, J., Perren, S., von Wyl, A., von Klitzing, K., Holsboer-Trachsler & Hatzinger, M. (2012). Visually detected NREM Stage 2 sleep spindles in kindergarten children are associated with stress challenge and coping strategies. World Journal of Biological Psychiatry, 13:259-268.	A	7	5.56
Müller, A., Zschokke, I., Brand, S., Hockenjos, C., Zeilhofer, H.-F., & Schwenzer, K. One-stage cleft repair outcome at age 6 to 18 years – a comparison to the Eurocleft study data. The British Journal of Oral & Maxillofacial Surgery, 2012;50:762-8.	B	2	1.890
Wollmer, A., de Boer, C., Kalak, N., Beck, J., Götz, T., Schmidt, T., Hodzic, M., Bayer, U., Kollmann, T., Kollewe, K., Sönmez, D., Duntsch, K., Haug, M., Dressler, D., Schedlowski, M., Hatzinger, M., Brand, S., Holsboer-Trachsler, E., Kruger, T. (2012). Facing depression with botulinum toxin. Journal of Psychiatric Research, 46, 574-581.	A	1	3.83
2011			
Bajoghli, H., Joshaghani, N., Mohammadi, M.R., Holsboer-Trachsler, E., & Brand, S. (2011). In female adolescents, romantic love is related to hypomanic-like stages and increased physical activity, but not to sleep or depressive symptoms. International Journal of Psychiatry in Clinical Practice, 15, 164-170.	C	2	0.5
Beck, J., Hemmeter, U. M., Brand, S., Muheim, F., Hatzinger, M., & Holsboer-Trachsler, E. (2011). Modafinil reduces microsleep during partial sleep deprivation in depressed patients. Journal of Psychiatric Research, 44; 853-864.	A	2	3.72
Brand, S., Annen, H., Holsboer-Trachsler, E., & Blaser, A. (2011). Intensive two-day cognitive-behavioral intervention decreases cortisol secretion in soldiers suffering from specific phobia to wear protective mask. Journal of Psychiatric Research, 45, 1337-1345.	A	10	3.72
Brand, S., Beck, J., Kalak, N., Gerber, M., Kirov, R., Pühse, U., Hatzinger, M., & Holsboer-Trachsler. E. (2011). Dream recall and its relationship to sleep, perceived stress and creativity among adolescents. Journal of	A	10	3.325

Adolescent Health, 49, 525-531.			
Brand, S., Beck, J., Hatzinger, M., Savic, M., & Holsboer-Trachsler. (2011). Unfavorable polysomnographic sleep patterns predict poor sleep and poor psychological functioning in patients with Restless Legs Syndrome three years later. <i>Neuropsychobiology</i> , 63, 92-102.	A	7	2.12
Brand, S., Furlano, R., Sidler, M., Schulz, J., & Holsboer-Trachsler, E. (2011). "Oh, Baby, please don't cry!" In infants suffering from infantile colic hypothalamic-pituitary-adrenocortical (HPA) axis activity is related to poor sleep and increased crying intensity. <i>Neuropsychobiology</i> , 14, 15-23.	A	7	2.12
Brand, S., Gerber, M., Beck, J., Kalak, N., Hatzinger, M., Pühse, U., & Holsboer-Trachsler, E. (2011). Perceived parenting styles differ between genders, but not between elite athletes and controls. <i>Adolescent Health, Medicine and Therapeutics</i> , 2, 9-14.	C	1	-
Brand, S., Gerber, M., Pühse, U., & Holsboer-Trachsler (2011). 'Bright side' and 'dark side' hypomania are associated with differences in psychological functioning, sleep and physical activity in a non-clinical sample of young adults. <i>Journal of Affective Disorders</i> , 131, 68-78.	A	10	3.76
Brand, S., & Kirov, R. (2011). Sleep and its importance in adolescence and in common adolescent somatic and psychiatric conditions. <i>International Journal of General Medicine</i> , 4, 425-442.	B	5	-
Brand, S., Wilhelm, F. H., Kossowsky, J., Holsboer-Trachsler, E., & Schneider, S. (2011). Children suffering from separation anxiety disorder (SAD) show increased HPA axis activity compared to healthy controls. <i>Journal of Psychiatric Research</i> , 45, 452-459.	A	10	3.72
Gerber, M., Pühse, U., & Holsboer-Trachsler, & Brand, S. (2011). Elite sport is not an additional source of distress for adolescents with high stress levels. <i>Perceptual and Motor Skills</i> , 112, 581-599.	C	3	0.7
Haghghi, M., Bajoghli, H., Angst, J., Holsboer-Trachsler, E., & Brand, S. (2011). The Farsi version of the Hypomania Check-List 32 (HCL-32): Applicability and indication of a four-factorial solution. <i>BMC Psychiatry</i> , 11, 14.	A	6	2.891
Hatzinger, M., Brand, S., Herzig, N., & Holsboer-Trachsler, E. (2011). In healthy young and elderly adults, hypothalamic-pituitary-adrenocortical axis reactivity (HPA AR) varies with increasing pharmacological challenge and with age, but not with gender. <i>Journal of Psychiatric Research</i> , 45, 1373-1380.	A	7	3.72
Kirov, R., & Brand, S. (2011). Nightmares as predictors of psychiatric disorders in adolescence. <i>Current Trends in Neurology</i> , 5, 1-12.	C	4	-
Lemola, S., Brand, S., Vogler, N., Perkinson-Gloor, N., Allemand, M., & Grob, A. (2011). Habitual computer game playing at night is related to depressive symptoms. <i>Personality and Individual Differences</i> , 51, 117-122.	B	4	1.878
2010			
Brand, S., Angst, J., & Holsboer-Trachsler, E. (2010). Is the increase of hypomanic stages during adolescence gender- and developmental task-related? <i>The World Journal of Biological Psychiatry</i> , 11, 231-239.	A	10	5.48

Brand, S., Beck, J., Gerber, M., Hatzinger, M., & Holsboer-Trachsler, E. (2010). Evidence of favorable sleep-EEG patterns in adolescent male vigorous football players compared to controls. <i>The World Journal of Biological Psychiatry</i> , 11, 465-475.	A	10	5.48
Brand, S., Beck, J., Hatzinger, M., Harbaugh, A., Ruch, W., & Holsboer-Trachsler E. (2010). Associations between satisfaction with life, burnout-related emotional and physical exhaustion, and sleep complaints. <i>The World Journal of Biological Psychiatry</i> , 11, 744–754.	A	10	5.48
Brand, S., Gerber, M., Beck, J., Hatzinger, M., Pühse, U., & Holsboer-Trachsler, E. (2010). Exercising, sleep-EEG patterns, and psychological functioning are related among adolescents. <i>The World Journal of Biological Psychiatry</i> , 11, 129-140.	A	10	5.48
Brand, S., Gerber M., Hatzinger, M., Beck, J., Pühse, U. & Holsboer-Trachsler E. (2010). High exercise levels are related to favorable sleep patterns and psychological functioning in adolescents: A comparison of athletes and controls. <i>Journal of Adolescent Health</i> , 46, 133-141.	A	10	3.325
Brand, S., Gerber M., Pühse, U., Holsboer-Trachsler E. (2010). The relation between sleep and pain among a non-clinical sample of young adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 260, 543-551.	B	7	2.747
Brand, S., Gerber, M., Pühse, U. & Holsboer-Trachsler, E. (2010). Depression, hypomania and dysfunctional sleep-related cognitions as mediators between stress and insomnia: The best advise is not always found on the pillow. <i>International Journal of Stress Management</i> , 17, 114-134.	C	3	0.78
Brand, S., & Holsboer-Trachsler, E. (2010). Das Burnout Syndrom – eine Übersicht. <i>Therapeutische Umschau</i> , 67, 561-565.	C	2	---
Brand, S., Lehtinen, A., Hatzinger, M., & Holsboer-Trachsler, E. (2010). Comparison of sleep-EEG profiles of patients suffering from RLS, RLS and depressive symptoms, and major depressive disorders. <i>Neuropsychobiology</i> , 61, 41-48.	A	7	2.12
Brand, S., Opwis, K., Hatzinger, M., & Holsboer-Trachsler, E. (2010). REM-sleep is related to the transfer of implicit procedural knowledge following metacognitive learning. <i>Somnology</i> , 14, 213–220.	C	2	-
Gerber, M., Brand, S., Holsboer-Trachsler, E. & Pühse, U. (2010). Fitness and exercise as correlates of sleep complaints. Is it all in our minds? <i>Medicine and Science of Sports Exercise</i> , 42, 893–901.	A	8	3.707
Gerber, M., Hartmann, T., Brand, S., & Holsboer-Trachsler, E., & Pühse, U. (2010). The relationship between shift work, perceived stress, sleep and health in Swiss police officers. <i>Journal of Criminal Justice</i> , 38, 1167-1175.	C	1	0.78
Hatzinger, M., Brand, S., Perren, S., Von Wyl, A., Von Klitzing, K., & Holsboer-Trachsler E. (2010). Sleep actigraphy pattern and behavioral/emotional difficulties in kindergarten children: Association with hypothalamic-pituitary-adrenocortical (HPA) activity. <i>Journal of Psychiatric Research</i> , 44, 253-261.	A	8	4.78

Holsboer-Trachsler E, Hättenschwiler J, Beck J, Brand S, Hemmeter U, Keck ME, Rennhard S, Hatzinger M, Merlo M, Bondolfi G, Preisig M, Seifritz E, Attinger Andreoli Y, Gehret A, Bielinski D: Die somatische Behandlung der unipolaren depressiven Störungen 1. Teil. Behandlungsempfehlung der Schweizerischen Gesellschaft für Angst und Depression (SGAD), der Schweizerischen Gesellschaft für Biologische Psychiatrie (SGBP), in Zusammenarbeit mit der Schweizerischen Gesellschaft für Psychiatrie und Psychotherapie (SGPP) und auf der Grundlage der Leitlinien der World Federation of Societies of Biological Psychiatry (WFSBP 2008) sowie der S3-Leitlinie/Nationalen Versorgungsleitlinie „Unipolare Depression“ der Deutschen Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde (DGPPN 2009). Swiss Med Forum (SMF) 2010;10(46):802-809	C	1	1.83
Holsboer-Trachsler E, Hättenschwiler J, Beck J, Brand S, Hemmeter U, Keck ME, Rennhard S, Hatzinger M, Merlo M, Bondolfi G, Preisig M, Seifritz E, Attinger Andreoli Y, Gehret A, Bielinski D: Die somatische Behandlung der unipolaren depressiven Störungen. 2. Teil. Behandlungsempfehlung der Schweizerischen Gesellschaft für Angst und Depression (SGAD), der Schweizerischen Gesellschaft für Biologische Psychiatrie (SGBP), in Zusammenarbeit mit der Schweizerischen Gesellschaft für Psychiatrie und Psychotherapie (SGPP) und auf der Grundlage der Leitlinien der World Federation of Societies of Biological Psychiatry (WFSBP 2008) sowie der S3-Leitlinie/Nationalen Versorgungsleitlinie „Unipolare Depression“ der Deutschen Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde (DGPPN 2009). Swiss Med Forum (SMF) 2010;10(47):818-822	C	1	1.83
2009			
Bajoghli, H., Holsboer-Trachsler, E., & Brand, S. (2009). Cultural and gender-related differences of concepts of love between Iranian and Swiss adults based on Hafez' poetry of love. <i>Interpersona</i> , 3, 177-189.	C	2	-
Brand, S., Beck, J., Muheim, F., Hatzinger, M., & Holsboer-Trachsler, E. (2009). Psychological vulnerability factors and neuroendocrine and sleep regulation in healthy children and adolescents. <i>European Psychiatry</i> , 23, Suppl. 2, S9-S10.	C	2	-
Brand, S., Beck, J., Gerber, M., Hatzinger, M., & Holsboer-Trachsler E. (2009). "Football is good for your sleep." Favorable sleep patterns and psychological functioning of adolescent male intense football players compared to controls. <i>Journal of Health Psychology</i> , 14, 1144-1155.	B	7	1.65
Brand, S., Blechschmidt, A., Sader, R., Müller, A., Schwenzer-Zimmerer, K., Zeilhofer, H.-F., & Holsboer-Trachsler, E. (2009). Psychosocial functioning and sleep patterns in children and adolescents with cleft lip and palate (CLP) compared to healthy controls. <i>The Cleft Palate Cranio-Facial Journal</i> . 46, 125-135.	B	7	1.1
Brand, S., Hatzinger, M. Beck, J., & Holsboer-Trachsler, E. (2009). Perceived parenting styles, personality traits and sleep patterns in adolescents. <i>Journal of Adolescence</i> , 32, 1189-1207.	B	7	1.802
Brand, S., Gerber M., Hatzinger, M., Beck, J., & Holsboer-Trachsler E. (2009). Evidence for similarity between adolescents and their parents in sleep patterns. <i>Sleep Medicine</i> , 10, 1124–1131.	A	10	3.699
Brand, S., Heller, P., Huss, A., Bircher, A., Braun-Fahrlander, C., Niederer,	B	5	1.89

M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Küchenhoff, J. (2009). Patients with environment-related disorders: interdisciplinary diagnostics and differential treatment. International Journal of Hygiene and Environmental Health, 212, 157-171.			
2008			
Brand, S., Beck, J., & Holsboer-Trachsler, E. (2008). Hypericum perforatum Extrakt LI 160: Ein Praxiserfahrungsbericht (PEB) über die Anwendung von Johanniskraut bei depressiven und körperlichen Beschwerden Hypericum perforatum extract LI 160: An Observational Study on Treatment of Depressive and Somatic Symptoms with St. John's Wort. Ganzheitsmedizin, 20, 93-98.	C	1	
Brand, S., Hermann, B., Muheim, F., Beck, J., & Holsboer-Trachsler, E. (2008). Sleep patterns, work and strain among young students in hospitality and tourism. Industrial Health, 46, 199-209.	C	4	1.215
Hatzinger, M., Brand, S., Perren, S., Stadelmann, S., Von Wyl, A., Von Klitzing, K., & Holsboer-Trachsler E. (2008). Electroencephalographic sleep profiles and hypothalamic-pituitary-adrenocortical (HPA) activity in kindergarten children: early indication of poor sleep quality associated with increased cortisol secretion. Journal of Psychiatric Research, 42, 352-543.	A	8	3.72
2007			
Brand, S., Heller, P., Bircher, A., Braun-Fahrländer, C., Huss, A., Niederer, M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Küchenhoff, J. (2007). Interactional behavior as marker for screening patients with environment-related complaints. International Journal of Hygiene and Environmental Health, 210, 79-89.	B	5	1.89
Brand, S., Luethi, M., Von Planta, A., Hatzinger, M., & Holsboer-Trachsler, E. (2007). Romantic love, hypomania, and sleep pattern in adolescents. Journal of Adolescent Health, 41, 69-76.	A	10	3.325
Hatzinger, M., Brand, S., Perren, S., Von Wyl, A., Von Klitzing, K., & Holsboer-Trachsler E. (2007). Hypothalamic-Pituitary-Adrenocortical (HPA) activity in kindergarten children: importance of gender and associations with behavioral/emotional difficulties. Journal of Psychiatric Research, 41, 861-870.	A	8	3.72
Hemmeter, U., Hatzinger, M., Brand, S., & Holsboer-Trachsler, E. (2007). Effect of flumazenil augmentation on microsleep and mood in depressed patients during partial sleep deprivation. Journal of Psychiatric Research, 41, 876-884.	A	5	3.72
Mager, R., Bullinger, A. H., Brand, S., Schmidlin, M., Schärli, H., Müller-Spahn, F., Störmer, R., & Falkenstein, M. (2007). Age-related changes in cognitive interference processing: an event-related potential study. Neurobiology of Aging, 28, 1925-35.	A	3	5.937
2005			
Brand, S., Frei, N., Hatzinger, M., & Holsboer-Trachsler, E. (2005). Adolescents' self-reported sleep quantity and sleep personality traits. Somnology, 9, 166-172.	C	2	
Brand, S., Heller, P., Huss, A., Bircher, A., Braun-Fahrländer, C., Niederer, M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Küchenhoff, J. (2005a). Psychiatrische, medizinische und umweltanalytische Faktoren bei Menschen mit umweltbezogenen Gesundheitsstörungen. Psychotherapie, Psychosomatik, Medizinische Psychologie, 55, 55-64.	C	4	1.1

Brand, S., Heller, P., Huss, A., Bircher, A., Braun-Fahrländer, C., Niederer, M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Küchenhoff, J. (2005b). Seelische Belastung bei Menschen mit um-weltbezogenen Störungen: Ein Vergleich zwischen dem Selbstbild und der Fremdeinschätzung. <i>Der Nervenarzt</i> , 76, 36-42.	C	3	0.776
Brand, S., Schwarzenbach, S., Braun-Fahrländer, C., Heller, P., Huss, A., Küchenhoff, J., Niederer, M., Waeber, R., Wegmann, L., & Bircher, A. J. (2005). Allergologische und psychologische Befunde bei Patienten mit umweltbezogenen Beschwerden. <i>Allergologie</i> , 11, 444-454.	C	2	
2004			
Hatzinger, M., Hemmeter, U., Brand, S., Ising, M., & Holsboer-Trachsler, E. (2004). Electroencephalo-graphic (EEG) sleep profiles in treatment course and long-term outcome of major depression: association with DEX/CRH-test response. <i>Journal of Psychiatric Research</i> , 38, 453-465.	A	3	3.72
Küchenhoff, J., Heller, P., Brand, S., Huss, A., Bircher, A., Niederer, M., Schwarzenbach, S., Waeber, R., Wegmann, L., & Braun-Fahrländer, C. (2004). Quantitative und qualitative Analysen bei Menschen mit umweltbezogenen Gesundheitsstörungen. <i>Zeitschrift für Psychosomatische Medizin und Psychotherapie</i> , 50, 288-305.	C	3	1.149
Mager, R., Falkenstein, M., Störmer, R., Brand, S., Müller-Spahn, F., & Bullinger, A. H. (2004). Auditory distraction in young and middle-aged adults: a behavioural and event-related potential study. <i>Journal of Neural Transmission</i> , 112, 1165-1176.	B	2	2.259
2002			
Hatzinger, M., Hemmeter, U., Brand, S., Baumann, K., & Holsboer-Trachsler, E. (2002). The combined DEX-CRH test in treatment course and long-term outcome of major depression. <i>Journal of Psychiatric Research</i> , 36, 287-297.	A	2	3.72
Holder, G. L., Brand, S., Hatzinger, M., & Holsboer-Trachsler, E. (2002). Reduction of daytime sleepiness in a depressive patient during adjunct treatment with modafinil. <i>Journal of Psychiatric Research</i> , 36, 49-52.	A	2	3.72
Book chapters (peer-reviewed)			
Brand S. Schlaf, körperliche Aktivität und Stress. In: Fuchs R. Gerber M. Handbuch Stressregulation und Sport. Springer: Heidelberg, 2017, pp. 293-310.			
Brand, S., "Mood and Learning"; "mood dependent learning" In: Seel, N. (ed.), Encyclopaedia of the Sciences of Learning; to appear in 2011; Heidelberg, Springer Publisher	C	3	
Brand S, Müller AA. 2011. Quality of life among children, adolescents and adults with oro-facial clefts. In: JH Stone, M Blouin, editors. International Encyclopedia of Rehabilitation. Available online: http://cirrie.buffalo.edu/encyclopedia/en/article/294/	B	5	
Kirov R, Brand S. (2012) The Memory, Cognitive and Psychological Functions of Sleep: Update from Electroencephalographic and Neuroimaging Studies. "Neuroimaging / Book 3", ISBN 979-953-307-238-7.	B	4	
Brand S, Calabrese P, Holsboer-Trachlser E. (2013) Restless Legs Syndrome und kognitive Störungen. In Calabrese P, Markowitsch H. Kognitive Störungen in Neurologie und Psychiatrie.	B	5	

Books (non-peer reviewed)			
Geber M, Hartmann T, Lang C, Lüthy M, Brand S. (2011). EPHECT – Stressmanagement im Sportunterricht. Ein Trainingsprogramm in 8 Modulen. Institut für Sport und Sportwissenschaften.	C	2	